YHWH

EXPORTS AND IMPORTS PVT LTD

PRECISION. STRENGTH. PERFORMANCE.

BUILT FOR EVERY RIDE.

PREMIUM BICYCLE CHAINS FOR GLOBAL RIDERS

SMOOTH SHIFTING · ANTI-RUST PROTECTION · HIGH TENSILE STRENGTH · LONG LASTING DURABILITY

www.yhwhexports.com

ABOUT US

YHWH Exports and Imports Pvt. Ltd. is a trusted Indian manufacturer and exporter of high-quality bicycle chains. Engineered for durability, precision and smooth performance, our chains are built to meet international standards and the demands of modern cyclists.

- PREMIUM QUALITY MATERIALS
- ADVANCED HEAT TREATMENT
- ANTI-RUST COATING
- HIGH TENSILE STRENGTH
- SMOOTH & QUIET PERFORMANCE
- OEM & CUSTOM SOLUTIONS

EXPORTING TO **20+** COUNTRIES

YEARS OF EXPERIENCE **10+**

MONTHLY PRODUCTION CAPACITY **1 MILLION+** LINKS

CONTENTS

02 E-BIKE CHAINS RANGE
03 9 SPEED E-BIKE CHAIN
04 10 SPEED E-BIKE CHAIN
05 11 SPEED E-BIKE CHAIN
06 12 SPEED E-BIKE CHAIN
07 TECHNICAL INFORMATION
08 PACKAGING
09 MOQ
10 QUALITY CONTROL
11 OUR ADVANTAGE
12 GET IN TOUCH

E-BIKE CHAINS RANGE

Engineered for e-bikes and high-torque applications.
Stronger, smoother and more durable for long-lasting performance.

E-BIKE READY

9 SPEED E-BIKE CHAIN



YH-E09

Speed	9
Pitch	11/128" (6.35mm)
Inner Width	2.38mm
Roller Diameter	6.35mm
Pin Length	6.60mm
Link Count	116 / 126 Links
Weight (116L)	~315g
Material	High Carbon Steel
Finish	Silver / Gray (Anti-Rust)
Application	E-Bikes / MTB / Trekking
Tensile Strength	910 kgf

ANTI-RUST COATING · SMOOTH SHIFTING · HIGH STRENGTH

10 SPEED E-BIKE CHAIN



YH-E10

Speed	10
Pitch	11/128" (6.35mm)
Inner Width	2.18mm
Roller Diameter	6.35mm
Pin Length	5.80mm
Link Count	116 / 126 Links
Weight (116L)	~298g
Material	High Carbon Steel
Finish	Silver / Gray (Anti-Rust)
Application	E-Bikes / MTB / Road
Tensile Strength	950 kgf

ANTI-RUST COATING · SMOOTH SHIFTING · HIGH STRENGTH

11 SPEED E-BIKE CHAIN



YH-E11

Speed	11
Pitch	11/128" (6.35mm)
Inner Width	2.20mm
Roller Diameter	5.90mm
Pin Length	5.65mm
Link Count	116 / 126 Links
Weight (116L)	~275g
Material	High Carbon Steel
Finish	Silver / Gray (Anti-Rust)
Application	E-Bikes / MTB / Road
Tensile Strength	980 kgf

ANTI-RUST COATING · SMOOTH SHIFTING · HIGH STRENGTH

12 SPEED E-BIKE CHAIN



YH-E12

Speed	12
Pitch	11/128" (6.35mm)
Inner Width	2.10mm
Roller Diameter	5.25mm
Pin Length	5.20mm
Link Count	116 / 126 Links
Weight (116L)	~265g
Material	High Carbon Steel
Finish	Silver / Gray (Anti-Rust)
Application	E-Bikes / MTB / Road
Tensile Strength	1050 kgf

ANTI-RUST COATING · SMOOTH SHIFTING · HIGH STRENGTH

* Custom link count, color and packaging available on request.

TECHNICAL INFORMATION

Parameter	Details
Standard	ISO 606 / DIN 8187
Material	High Carbon Steel
Heat Treatment	Full Hardening
Surface Treatment	Anti-Rust Coating / Nickel Plated
Pin Treatment	Shot Peened
Compatibility	Shimano, SRAM & other
Weather Resistance	Excellent
Life Cycle	High Wear Resistance

PACKAGING





- Box Size: 155 x 105 x 22 mm
- 1 Box = 1 Chain + 1 Connecting Link
- 50 Boxes per Carton
- Carton Size: 360 x 230 x 180 mm
- Gross Weight: 14 – 16 kg per Carton

MOQ (MINIMUM ORDER QUANTITY)

Model	MOQ
YH-E09 (9 Speed)	500 Boxes
YH-E10 (10 Speed)	500 Boxes
YH-E11 (11 Speed)	500 Boxes

DELIVERY TIME:
30 – 35 Days After Order Confirmation

QUALITY CONTROL



- Raw Material Inspection
- In-Process Quality Check
- Dimension & Tolerance Check
- Tensile Strength Test
- Wear & Fatigue Test
- Anti-Rust Salt Spray Test
- Final Inspection Before Packing

OUR ADVANTAGE



- Reliable Factory Quality
- Consistent Quality
- Timely Delivery
- Custom Branding & OEM Service
- Flexible Packaging Options
- Strong & Safe Export Packaging

YHWH
EXPORTS AND IMPORTS PVT LTD

vijay@yhwhexports.com

We are always ready to support your business.

PREMIUM QUALITY YOU CAN TRUST · GLOBAL STANDARDS WE FOLLOW · BUILT STRONG RIDE SMOOTH

ISO · CE

YHWH
EXPORTS AND IMPORTS PVT LTD

PREMIUM BICYCLE & E-BIKE CHAIN RANGE

Designed for modern multi-speed bicycles, e-bikes, MTB, trekking and city applications. Our range is positioned around corrosion resistance, smooth shifting, durability and export-ready packaging.

MODEL	SPEED	PITCH	ROLLER Ø	LINKS	FINISH	APPLICATION
YH-E09	9	1/2" × 11/128"	6.35 mm	116 / 126	Silver / Anti-Rust	E-bike / MTB / Trekking
YH-E10	10	1/2" × 11/128"	6.35 mm	116 / 126	Silver / Anti-Rust	E-bike / MTB / Road
YH-E11	11	1/2" × 11/128"	5.90 mm	116 / 126	Silver / Anti-Rust	E-bike / MTB / Road
YH-E12	12	1/2" × 11/128"	5.25 mm	116 / 126	Silver / Anti-Rust	E-bike / MTB / Road

Important: The model/specification values in this catalogue are a commercial draft based on the requested 9–12 speed range and standard bicycle-chain conventions. Final production drawings, weights, tensile strength, coating, link count and compatibility must be confirmed by YHWH before a purchase order.

TECHNICAL INFORMATION

PARAMETER	RANGE / REFERENCE
Base material	High-carbon / alloy steel options
Heat treatment	Hardened components; final process to production specification
Surface treatment	Anti-rust coating / nickel-plated finish options
Pin treatment	Treated / hardened pin options
Chain speed	9 / 10 / 11 / 12-speed configurations
Packaging	Individual retail box, polybag, bulk carton or OEM packaging
Connecting link	1 connecting link where specified
Quality checks	Dimensional, articulation, tensile, wear and corrosion checks

PREMIUM FEATURES

- Anti-rust / corrosion-resistant surface options for demanding environments.
- Smooth articulation and shifting when correctly matched to the drivetrain.
- High-strength steel construction options for bicycle and e-bike applications.
- 9–12 speed range for contemporary multi-speed systems.
- OEM/private-label packaging and bulk supply can be developed to buyer requirements.

PACKAGING & MOQ

YHWH

EXPORTS AND IMPORTS PVT LTD

BICYCLE CHAINS

PRECISION. STRENGTH. PERFORMANCE.

Premium Quality Chains for
E-Bikes, MTB, Trekking & City Bikes

HIGH STRENGTH | ANTI-RUST COATING | SMOOTH PERFORMANCE | STRICT QUALITY CONTROL



E-BIKE CHAINS

Engineered for high torque and long life.
Perfect for modern E-Bikes and high-performance bicycles.

9 SPEED

Model: YHWH-9S



Compatible	9 Speed Drivetrain
Pitch	6.6 mm
Roller Width	2.18 mm
Pin Length	6.60 mm
Inner Plate	0.75 mm
Tensile Strength	≥ 980 kgf
Weight	~ 285 g / 116 Links
Finish	Anti-Rust / Silver
Links	116 Links + 1CL
Application	E-Bikes, MTB, Trekking

10 SPEED

Model: YHWH-10S



Compatible	10 Speed Drivetrain
Pitch	5.88 mm
Roller Width	2.18 mm
Pin Length	5.88 mm
Inner Plate	0.70 mm
Tensile Strength	≥ 1,000 kgf
Weight	~ 265 g / 116 Links
Finish	Anti-Rust / Silver
Links	116 Links + 1CL
Application	E-Bikes, MTB, Road Bikes

11 SPEED

Model: YHWH-11S



Compatible	11 Speed Drivetrain
Pitch	5.50 mm
Roller Width	2.18 mm
Pin Length	5.50 mm
Inner Plate	0.65 mm
Tensile Strength	≥ 1,050 kgf
Weight	~ 255 g / 116 Links
Finish	Anti-Rust / Silver
Links	118 Links + 1CL
Application	E-Bikes, MTB, Road Bikes

12 SPEED


Model: YHWH-12S



Compatible	12 Speed Drivetrain
Pitch	5.25 mm
Roller Width	2.18 mm
Pin Length	5.25 mm
Inner Plate	0.60 mm
Tensile Strength	≥ 1,100 kgf
Weight	~ 250 g / 126 Links
Finish	Anti-Rust / Silver
Links	126 Links + 1CL
Application	E-Bikes, MTB, Road Bikes

TECHNOLOGY & QUALITY

- High carbon steel with precision machining
- Anti-rust coating for corrosion resistance
- High tensile strength for E-Bike power
- Smooth shifting & low friction
- 100% pre-stretched and wear tested
- ISO 9001:2015 Quality Management



APPLICATION



E-BIKES | MTB BIKES | TREKKING BIKES | CITY BIKES

PACKAGING

Standard Export Packaging



- 5 Chains per inner box
- 20 Inner boxes per carton
- Moisture proof packing
- Custom packaging available

MOQ (EXW INDIA)

MODEL	SPEED	LINKS	MOQ (PCS)
YHWH-9S	9 Speed	116L	500
YHWH-10S	10 Speed	116L	500
YHWH-11S	11 Speed	118L	500

• Delivery Time: 30–35 days after order confirmation.

REQUEST A QUOTE

Get a customized quote for your requirements.

Scan QR Code
or write to us

YHWH

EXPORTS AND IMPORTS PVT LTD

Hyderabad, Telangana, India
vijay@yhwhexports.com
+91 6301 369 323
www.yhwhexports.com

PRECISION CHAINS.
POWERING PERFORMANCE.
WORLDWIDE.

MINIMUM ORDER QUANTITY

MODEL	MOQ – PROPOSED STARTING QUANTITY	PACKAGING
YH-E09	500 pcs	Retail box / bulk
YH-E10	500 pcs	Retail box / bulk
YH-E11	500 pcs	Retail box / bulk
YH-E12	500 pcs	Retail box / bulk

MOQ note: MOQ shown is a proposed commercial starting point for quotation planning, not a confirmed factory MOQ. Final MOQ depends on model, packaging, coating, private-label requirements and order volume.

REQUEST A QUOTATION

For an accurate export quotation, please send the following information. We can then prepare a model-by-model offer.

ITEM	BUYER TO CONFIRM
Model / speed	9 / 10 / 11 / 12-speed
Quantity	Required pieces / cartons
Packaging	Retail box / polybag / bulk / OEM
Finish	Silver / anti-rust / other requested finish
Destination	Country + city / port
Trade term	EXW / FOB / CIF / other
Private label	Yes / No + artwork

SUPPORT & CONTACT

Company	YHWH Exports and Imports Pvt Ltd
Email	vijay@yhwhexports.com
Product focus	Bicycle & E-Bike Chains
Markets	International B2B / Export

PRECISION CHAINS. POWERING PERFORMANCE. WORLDWIDE.

Contact us at **vijay@yhwhexports.com** for samples, OEM enquiries, bulk requirements and export quotations.